

# Bitumen 80-100

## Bitumen 80-100 Specification

Bitumen 80-100 is best used in Cold weather and harsh climates.

<b>Property</b>	<b>Specification</b>	<b>Test Method</b>
Specific Gravity @ 25/25 c	1.00-1.05	D-70
Penetration @ 25 c	80/100	D-5
Softening Point	45/52	D-36
Ductility @ 25 c	100 Min.	D-113
Loss on Heating (wt) %	0.5 Max.	D-6
Drop in Penetration after Heating %	20 Max.	D-6 & D-5
Flash Point C	225 Min.	D-92
Solubility in Cs2 (wt)% n Cs2 (Wt)	99.5 Min.	D-4
Organic Matter Insoluble in Cs2 (Wt)%	0.2 Max.	D-4
Spot Test	Negative	A.A.S.H.O.T.102